


GUIDE

301633



HF620





ABOUT US

301633) 是工信部



HF620

XXX


HF	
620	

OR4	0.4kW
O75	75kW
...	
450	450kW


4	400V

F

	[A]	[kW]	011 4 62 [A]	[kW]	[kG]
HF620-OR4-4	1.8	0.4	--	--	
HF620-OR7-4	3.3	0.75	1.8	0.4	
HF620-1R5-4	4.8	1.5	3.3	0.75	
HF620-2R2-4	10.11 4 620.4	2.2	0.11 4 4.8	.5	1.5
HF620-3R7-4	10.2	3.7	5.7	2.2	
HF620-5R5-4	15	5.5	10.2	3.7	
HF620-7R5-4	18	7.5	15	5.5	
HF620-011-4	2	0.11 4	.2	0.11 4	



		(mm)									8.8	kg
		H1	H2	W1	W2	D1	D2	A	B		M	
11	0.4kW 0.75kW 1.5kW 2.2kW	260	254	140	134	170	52.5	248	122	4- 6	4-M5	3
12	3.7kW 5.5kW 7.5kW 11kW	260	254	140	134	170	52.5	248	122	4- 6	4-M5	3.5
13	15kW 18.5kW	300	294	180	174	170	52.5	288	162	4- 6	4-M5	4.5
14	22kW 30kW 37kW	370	364	275	269	215	75	355	255	4- 7	4-M6	10.5
15	45kW 55kW 75kW	600	565	340	326	282	110	585	225	2- 9	4-M8	35
16	90kW 110kW	760	710	400	386	327	100	742	275	2- 9	4-M8	52
17	132kW 160kW 185kW	930	850	490	476	335	155	900	350	3- 13	6-M12	108.5
18	220kW 250kW 280kW 315kW	1140	1060	500	486	355	155	1110	350	3- 13	6-M12	146
19	355kW 400kW 450kW	1275	1195	700	686	370	155	1245	500	3- 15	6-M14	210



I1-I3

W1

D1

W1
B

D1+15
D1

7.5

H1
A

H2

H1
A

H2+120

W2

w2

D2

I4

I5-I6

I7-I9

50/60Hz
 -15% 10%
 2% fLN/s
 0
 1%
 0 300Hz
 1kHz 10kHz
 0.01Hz x0.1%
 (VC) (SVC) V/F
 V/F
 PG PG
 300Hz
 0Hz/200% (VC SVC) 0.8Hz/150% (V/F)
 1:500(SVC) 1:1000(VC)
 ± 0.02% (VC) ± 0.2% (SVC) ± 0.5% (V/F)
 5 150% 1 200% 5



GUIDE

Wuhan Guide Technology Co., Ltd.

027-87920068

027-87927299

www.gdetec.com 武汉指南