





.....	64
.....	67
.....	70
.....	73
.....	75
.....	78
.....	80
.....	83
.....	85
.....	88
.....	91
.....	93
.....	98
.....	102
.....	106
.....	110
.....	112
.....	112
.....	114
.....	115
.....	117
.....	118
.....	119
.....	119
.....	120
.....	123
.....	126
.....	127
.....	131
.....	133
.....	134
.....	138
.....	138
.....	138
.....	140
.....	142
.....	146
.....	148
.....	149
.....	150
.....	152
.....	154
.....	155
.....	155
.....	156



GF630N

05



4

1

X




图 E



图 A




图 B



图 C



图 D






型号: GF630N05-0R4-4


额定功率: 0.4kW  
额定电压: 60V  
额定电流: 12A


GUIDE

---












---

---


(1)

(2)



---












---





---








---










R1/R2





---


R3/R4









485终端电阻



模拟量输出选择






模拟量输入选择














AV














0  
0`à  
9ñ0@ à S '• Pë3




RS485














显示文字	LED显示	显示文字	LED显示	显示文字	LED显示	显示文字	LED显示
0	0	A	A	K	K	U	U
1	1	B	B	L	L	V	V
2	2	C	C	M	无	W	无
3	3	D	D	N	N	X	无
4	4	E	E	O	O	Y	Y
5	5	F	F	P	P	Z	无
6	6	G	G	Q	Q		


		
		
		
		
		



' > 7

---







---






---


---






PO2.20	LED 1	Bit00: 1(Hz) Bit01: (Hz) Bit02: (V) Bit03: (V) Bit04: (A) Bit05: (%) Bit06: (kW) Bit07: ( ) Bit08: DI Bit09: DO Bit10: AI1 (V) Bit11: AI2 (V) Bit12: AO1 Bit13: Bit14: RPM Bit15: PID	0-FFFF	0x1F	7.2
PO2.21	LED 2	Bit00: PID Bit01: min Bit02: min Bit03: U A Bit04: V A Bit05: W A Bit06: Bit07: U A Bit08: V A Bit09: W A Bit10: Bit11: LSW Bit12: MSW Bit13: Bit14: Bit15:	0-FFFF	0	7.2

PO2.22	LED	Bit00: Hz	0-FFFF	0x33	7.2
		Bit01: V			
		Bit02: DI			
		Bit03: DO			
		Bit04: AI1 V			
		Bit05: AI2 V			
		Bit06: AO1			
		Bit07:			
		Bit08:			
		Bit09:			
		Bit10: RPM			
		Bit11: PID			
		Bit12:			
PO2.24		0h~65535h			7.2
PO2.26		0h~65535h			7.2
PO2.30					7.2

BY ~ †





---





is

> @

---



---







---







†

---



---







# מגיד

GUIDE



---

---

--	--	--	--	--	--

---



---



---



---








---

---

---

---

---

---






---








---

---



---







---

GjEÄ



---







---



---

3 .

> 8 0 8

>

9 0 8 0 1 8

2 8 E







---

P26.00

0

P

26.3r

---

P26.25	0
P26.26	0
P26.27	0
P26.28	0
P26.29	0
P26.30	

Ь

---



U00.09	DO	DO		0	
U00.10	AI1	AI1		0	
U00.11	AI2	AI2		0	
U00.12	AO1	AO1	0-10V	0	
U00.13	AO2	AO2	0-10V	0	
U00.14				0	
U00.15	PID	PID		0	
U00.16	PID	PID		0	
U00.17				0	
U00.18				0	
U00.19	A	A	0.1A	0	
U00.20	B	B	0.1A	0	
U00.21	C	C	0.1A	0	
U00.22				-	
U00.23				-	
U00.24				-	
U00.25				-	
U00.26				-	
U00.27	2.LSW	2.LSW		0	
U00.28	2.MSW	2.MSW		0	
U00.29-34				-	-0
U00.35				0	
U00.36	1.LSW	1.LSW		0	
U00.37	1.MSW	1.MSW		0	
U00.38-76				-	-


---








1 -000









---

$$\left( \frac{\quad}{3} \right) \quad 7.8 \quad 16.4 \quad 1.414$$



---

$1.075 \sqrt{2}$  P16.0 20 P7.65

$1.075 \sqrt{2}$  P16.0 20 P7.66

n  
n

---



**GUIDE**


Á =

Ö •



▲ 斜坡减速






Asis 2/

0-3

FO


GUIDE

€



---



---

ε

> D

---






---



---









---

---






---












---



---


---




---

---





